

# Echelon x IMIN OFFICE PODS





Exclusive range of privacy-enhancing Soundproof solutions for your office that won't cost the earth.



## Eco-efficiency

Imin Pods are mostly constructed of birch plywood. All plywood used in our products is produced either in Poland or neighboring countries. All raw materials suppliers are required to have FSC or PEFC certification. A majority of the materials used are recycled or recyclable. Significant part of all steel, aluminium, glass, fabric, felt and acoustic foam used in the products is recycled.

# YOUNG BUDGET BOOTH

One person acoustic booth



This one-person phone booth has everything it needs to eliminate distractions and increase productivity in your workplace.

## Lighting

Heat-free LEDs are located directly above the shelf (and therefore also in front of the user of the booth), which eliminates the shadow. The shelf is illuminated throughout its working area. Your eyes will remain relaxed thanks to the neutral light color. You don't have to remember to turn off the lamp. It will turn itself off after set time from leaving the acoustic cabin.

Motion Sensor: 5s, 30s, 1 min., 3 min., 5 min., 8 min.

LED 111W, 6000K.

## Shelf

With a beautiful wide birch plywood shelf you can fit a laptop, a notebook, a cup of tea or store your documents under the main desktop. We have prepared so much space for you to work that you won't be in a hurry to get back to your desk.

Material: Decorative plywood coated with protective oil.


Length 700 mm, height 100 mm, depth 350-250mm.

## Mediaport

Elegant mediaport with a 230V and USB socket is literally at hand - on the top of the shelf. It charges two devices at the same time.

# YOUNG BUDGET BOOTH

One person acoustic booth  
External dimensions H 2250, L 950, W950 mm



## Close Assist

The magnetic handle distinguishes the Young Booth from all others on the market. It is comfortable for short and tall users. To open the door, just gently pull the handle anywhere along its length. The door opens and closes very gently. Plus it's so beautiful.

## DB Rating

The speech level reduction ( $D_{S,A}$ ) of Young Pod is 29 dB measured according to ISO 23351-1. It can be placed right next to workstations in an open space office and people working outside them will not be able to overhear discussions inside.

## Efficient Ventilation and Air quality

The performance parameter of the fan perfectly harmonizes with the minimal sound it generates. Total air flow in Young pod is 147 m<sup>3</sup>/h / pcs.  
Speed regulation 1200/1500/1800/min . Max. power: 5.4W, 0.45A (12V)

## Exterior material

White / black MFC. Metal Handle powder coated white/black.

## Interior material

Decorative felt, construction: decorative plywood coated with protective oil.

## Power

Input: 240 VAC, 6.0 A, 50–60 Hz  
Output VAC (table socket): 6A-250V  
USB Charging: USB 230V/5 V; 1500mA



## S PRO BOOTH

One person customisable acoustic booth



A telephone booth that you can adapt to your whim.

### Soundproofing

Special soundproofing material hidden in the walls and almost 5 m<sup>2</sup> of bass traps inside the booth mean excellent soundproofing parameters and an absolutely "echo free" booth. When you enter it, you will simply hear silence. You can focus on the conversation or take a break from the noise outside. The speech level reduction ( $D_{s,A}$ ) of S Pro Pod is 33 dB. This makes the IMIN Pod one of the leading acoustic booths on the market.

### Touch control panel

Warm light or cold... or maybe half and half?. The touch regulator - placed on the back wall, at arm's height - allows you to change the color temperature of the light, its intensity, as well as the level of ventilation. Set the configuration permanently or play with the regulator while using the pod.

LED 11W, 200-1200 lm, 3000-6000K

### Customisable colour

You can choose any colour for your pod from the RAL or NCS palette. Giving you a whole lot of possibilities - what is important - without additional costs. Only with us you can perfectly match the color of the booth to the style of your office.

### Efficient Ventilation and Air quality


The performance parameter of the fan perfectly harmonizes with the minimal sound it generates. Total air flow in S PRO pod is 170 m<sup>3</sup>/h/pc

Speed regulation 1200/1500/1800/min . Max. power: 5.4W, 0.45A (12V)

# S PRO BOOTH

One person customisable acoustic booth

External dimensions H 2280, L 1020, W1020 mm



## Shelf

Made of natural decorative plywood, bent into a semicircular shape, it provides everything - comfort of work and decorative values. In addition, it has a special rebate in which you can place your tablet or phone, obtaining the perfect angle for video-conferencing.

Material: decorative plywood coated with laminate layer.

Length 900 mm, height 100 mm, depth 350 mm.

## Interior material

Acoustic panels (bass traps) upholstered with Milos Davis fabric, lacquered MDF (lacquer with PZH certificate)

Ceiling: bass trap finished with certified acoustic fabric, LED linear luminaire

Floor: acoustic lining with anti-knock underlayment

## Exterior material

Lacquered MDF (RAL or NCS palette), covered with a transparent protective varnish. Glued glass (foil); 5+5mm (total thickness 11mm)

## Mediaport


Elegant mediaport with a 230V and USB socket is literally at hand to charge two devices at the same time.

## Power

Input: 240 VAC, 6.0 A, 50–60 Hz, Output VAC (table socket): 6A-250V

USB Charging: USB 230V/5 V; 1500mA





# M PRO BOOTH

Two person customisable acoustic booth



Only 60 centimeters wider and 30 centimeters deeper than a one-person phone booth, yet it allows for a face-to-face meeting. Equipped with everything you will need to work in the highest standard of comfort: efficient ventilation, electrical sockets, USB ports, a practical table, seats, a control panel for booth settings.

## Soundproofing

Special soundproofing material hidden in the walls and almost 5 m<sup>2</sup> of bass traps inside the booth mean excellent soundproofing parameters and an absolutely "echo free" booth. When you enter it, you will simply hear silence. You can focus on the conversation or take a break from the noise outside. The speech level reduction ( $D_{S,A}$ ) of S Pro Pod is 33 dB. This makes the IMIN Pod one of the leading acoustic booths on the market.

## Touch control panel

The touch regulator - placed on the back wall, at arm's height - allows you to change the color temperature of the light, its intensity, as well as the level of ventilation. Set the configuration permanently or play with the regulator while using the pod.


LED 11W, 200-1200 lm, 3000-6000K

## Customisable colour

You can choose any colour for your pod from the RAL or NCS palette. Giving you a whole lot of possibilities - what is important - without additional costs. Only with us you can perfectly match the color of the booth to the style of your office.

# M PRO BOOTH

Two person customisable acoustic booth  
 External dimensions H 2280, L 1600, W1320 mm



## Table and Stools

Two bar stools with gently profiled base of the seat. Intuitively evoked in this way, the movement not only affects the work of your muscles despite the sitting position, but also verticalizes the spine. When discussing important matters in the booth, you will also take care of the correct body posture.

Table Material: decorative plywood coated with laminate layer. Length 930 mm, height 400 mm, depth 800 mm.

## Interior material

Acoustic panels (bass traps) upholstered with Milos Davis fabric, lacquered MDF (lacquer with PZH certificate)

Ceiling: bass trap finished with certified acoustic fabric, LED linear luminaire

Floor: acoustic lining with anti-knock underlayment

## Exterior material

Lacquered MDF (RAL or NCS palette), covered with a transparent protective varnish. Glued glass (foil); 5+5mm (total thickness 11mm)

## Mediaport

Elegant mediaport with 2 x 230V and 2 x USB socket are enough for two people and various devices: laptops, smartphones, headphones. Charge them with energy. Preferably positive.

## Power

Input: 240 VAC, 6.0 A, 50–60 Hz , Output VAC (table socket): 6A-250V

USB Charging: USB 230V/5 V; 1500mA



# M PRO OFFICE

External dimensions H 2280, L 1600, W1320 mm



Equipped with everything you will need to work in the highest standard of comfort: efficient ventilation, electrical sockets, USB ports, a practical Sit Stand desk, a control panel for booth settings. Perfect place to work away from the hustle and bustle of the office.

## Soundproofing

Special soundproofing material hidden in the walls and almost 5 m<sup>2</sup> of bass traps inside the booth mean excellent soundproofing parameters and an absolutely "echo free" booth. When you enter it, you will simply hear silence. You can focus on the conversation or take a break from the noise outside. The speech level reduction ( $D_{S,A}$ ) of S Pro Pod is 33 dB. This makes the IMIN Pod one of the leading acoustic booths on the market.

## Touch control panel

The touch regulator - placed on the back wall, at arm's height - allows you to change the color temperature of the light, its intensity, as well as the level of ventilation. Set the configuration permanently or play with the regulator while using the pod.  
LED 11W, 200-1200 lm, 3000-6000K

## Customisable colour

You can choose any colour for your pod from the RAL or NCS palette. Giving you a whole lot of possibilities - what is important - without additional costs. Only with us you can perfectly match the color of the booth to the style of your office.

## Air Flow

Fitted with two fans. Airflow: max. 200m<sup>3</sup>/h/pcs, smooth speed control: 10-100%

# M PRO OFFICE

External dimensions H 2280, L 1600, W1320 mm



## Desk

Dual Sit Stand Desk allows you to easily change your position from sitting to standing. Distinguished by low power consumption and quiet and smooth operation of the system. Available in three colours: white, grey, black.

Available Sizes 1000×600, 1200×600, 1400×600, 1600×600, 1800×600 550 mm do 650 mm .

Height: 620 – 1270 mm. INAK CBD6 0.1W control box, LINAK DPG1M control panel– up/down.

Anti Collision sensor.

Built-in BLUETOOTH module, free “Desk Control” application for android, iOS, Windows 10

## Interior material

Acoustic panels (bass traps) upholstered with Milos Davis fabric, lacquered MDF (lacquer with PZH certificate)

Ceiling: bass trap finished with certified acoustic fabric, LED linear luminaire

Floor: acoustic lining with anti-knock underlayment

## Exterior material

Lacquered MDF (RAL or NCS palette), covered with a transparent protective varnish. Glued glass (foil); 5+5mm (total thickness 11mm)

## Mediaport

Elegant mediaport with 2 x 230V and 2 x USB socket are enough for two people and various devices: laptops, smartphones, headphones. Charge them with energy. Preferably positive.

## Power

Input: 240 VAC, 6.0 A, 50–60 Hz , Output VAC (table socket): 6A-250V

USB Charging: USB 230V/5 V; 1500mA

# L PRO BOOTH

Four person customisable acoustic booth



The soundproof, mobile L conference room has been designed as a 4-person conference room, but it can easily accommodate up to 6 users. A soundproofed office space will improve the well-being of people using the booth, thus increasing their work efficiency. This pod is a 100% mobile piece of furniture, easy to relocate when needed.

## Soundproofing

Special soundproofing material hidden in the walls and almost 5 m<sup>2</sup> of bass traps inside the booth mean excellent soundproofing parameters and an absolutely "echo free" booth. When you enter it, you will simply hear silence. You can focus on the conversation or take a break from the noise outside. The speech level reduction ( $D_{S,A}$ ) of S Pro Pod is 33 dB. This makes the IMIN Pod one of the leading acoustic booths on the market.

## Touch control panel

The touch regulator - placed on the back wall, at arm's height - allows you to change the color temperature of the light, its intensity, as well as the level of ventilation. Set the configuration permanently or play with the regulator while using the pod.

LED 11W, 200-1200 lm, 3000-6000K

## Customisable colour



You can choose any colour for your pod from the RAL or NCS palette. Giving you a whole lot of possibilities - what is important - without additional costs. Only with us you can perfectly match the color of the booth to the style of your office.

## Air Flow

Fitted with two fans. Airflow: max. 200m<sup>3</sup>/h/pcs, smooth speed control: 10-100%

# L PRO POD

External dimensions H 2280, L 2000, W1320 mm



## Table and Seating

Upholstered seats and a wide table comfortably accommodate 4 people with all their work tools. The backrests are ergonomically profiled. If the meeting in the acoustic booth gets longer, your sitting comfort will remain as it was at the beginning.

Table Material: Decorative plywood with laminate layer.. Length 1100 mm, height 400 mm, depth 700 mm.

Seat 2 pcs., length 1300 mm , height 500 mm, depth 450 mm..

Backrest 2 pcs., length 130 cm, height 55 cm, depth 1-7cm

## Interior material

Acoustic panels (bass traps) upholstered with Milos Davis fabric, lacquered MDF (lacquer with PZH certificate). Ceiling: bass trap finished with certified acoustic fabric, LED linear luminaire  
Floor: acoustic lining with anti-knock underlayment

## Exterior material

The glass windows in the soundproof office room are double, tempered and glued (foil); 5+5mm (total thickness 11mm). This supports their acoustic properties, and also directly affects the safety of use. A standard several levels higher than required by strict European standards. Exterior in lacquered MDF (RAL or NCS palette), covered with a transparent protective varnish.

## Mediaport

Elegant mediaport with 2 x 230V and 2 x USB socket are enough for two people and various devices: laptops, smartphones, headphones. Charge them with energy. Preferably positive.

## Power

Input: 240 VAC, 6.0 A, 50–60 Hz , Output VAC (table socket): 6A-250V

USB Charging: USB 230V/5 V; 1500mA





# XL PRO MEETING ROOM

Six person customisable acoustic booth



A conference room that you can fit anywhere.

## Soundproofing

Special soundproofing material hidden in the walls and almost 5 m<sup>2</sup> of bass traps inside the booth mean excellent soundproofing parameters and an absolutely "echo free" booth. When you enter it, you will simply hear silence. You can focus on the conversation or take a break from the noise outside. The speech level reduction ( $D_{S,A}$ ) of S Pro Pod is 33 dB. This makes the IMIN Pod one of the leading acoustic booths on the market.

## Touch control panel

The touch regulator - placed on the back wall, at arm's height - allows you to change the color temperature of the light, its intensity, as well as the level of ventilation. Set the configuration permanently or play with the regulator while using the pod.

LED 11W, 200-1200 lm, 3000-6000K

## Customisable colour

You can choose any colour for your pod from the RAL or NCS palette. Giving you a whole lot of possibilities - what is important - without additional costs. Only with us you can perfectly match the color of the booth to the style of your office.

## Air Flow

Fitted with two fans. Airflow: max. 200m<sup>3</sup>/h/pcs, smooth speed control: 10-100%

# XL PRO MEETING ROOM

Six person customisable acoustic booth



## Table and Seating

Can be supplied at additional charge.

## Interior material

Acoustic panels (bass traps) upholstered with Milos Davis fabric, lacquered MDF (lacquer with PZH certificate). Ceiling: bass trap finished with certified acoustic fabric, LED linear luminaire  
Floor: acoustic lining with anti-knock underlayment

## Exterior material

The glass windows in the soundproof office room are double, tempered and glued (foil); 5+5mm (total thickness 11mm). This supports their acoustic properties, and also directly affects the safety of use. A standard several levels higher than required by strict European standards.

Exterior in lacquered MDF (RAL or NCS palette), covered with a transparent protective varnish.

## Mediaport

Elegant mediaport with 2 x 230V and 2 x USB socket are enough for two people and various devices: laptops, smartphones, headphones. Charge them with energy. Preferably positive.

## Power

Input: 240 VAC, 6.0 A, 50–60 Hz , Output VAC (table socket): 6A-250V

USB Charging: USB 230V/5 V; 1500mA

# Product Videos



Young Booth



S PRO BOOTH



L PRO BOOTH



M PRO - 3 PERSON BOOTH

# échelon

**James Farmer**  
**Echelon Workplaces Limited**  
**108 - 114 Golden Lane**  
**London, EC1Y 0TG**  
**United Kingdom**  
**T: 07889044799**  
**Email : [jfarmer@echelonworkplaces.com](mailto:jfarmer@echelonworkplaces.com)**



Office pods, phone booths  
and private workspaces for  
agile teams and focused  
individuals.

For Enquiries and Sales:

**0203 848 5199**

**officepodsandbooths.**